

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	994	(257/432).CCLS.	US-PGPUB; USPAT	2006/0 3/21 16:29			
2	BRS	L2	50	(photodetector or photodiode or pd) with (integral or integrally or directly) with filter.ti,ab,clm.	US-PGPUB; USPAT	2006/0 3/21 16:29			
3	BRS	L3	1590	(photodetector or photodiode or pd) with filter.ti,ab,clm.	US-PGPUB; USPAT	2006/0 3/21 16:29			
4	BRS	L4	2556	L1 or L2 or L3	US-PGPUB; USPAT	2006/0 3/21 16:29			
5	BRS	L5	356966	(1 near2 (shape or shaped)) or (right adj angle) or ("90" adj (degree or degrees))	US-PGPUB; USPAT	2006/0 3/21 16:29			
6	BRS	L6	214	L4 and L5	US-PGPUB; USPAT	2006/0 3/21 16:29			
7	BRS	L7	76	(photodetector or photodiode or pd) with (1 near2 (shape or shaped))	US-PGPUB; USPAT	2006/0 3/21 16:29			
8	BRS	L8	75	L7 not L6	US-PGPUB; USPAT	2006/0 3/21 16:29			
9	IS&R	L9	3017	(385/24).CCLS.	US-PGPUB; USPAT	2006/0 3/21 16:29			
10	IS&R	L10	2782	(385/14).CCLS.	US-PGPUB; USPAT	2006/0 3/21 16:29			

10/751309 (update)

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
11	BRS	L11	2291	(wdm or demultiplex\$3 or multiplex\$3) near\$3 (module or arrangement or circuit).ti,ab.	US-PGPUB; USPAT	2006/0 3/21 16:29			
12	BRS	L12	1511	(L9 or L11) and (L10 or substrate or bench)	US-PGPUB; USPAT	2006/0 3/21 16:29			
13	BRS	L13	3439	filter near\$5 (groove or grooves or trench or trenches)	US-PGPUB; USPAT	2006/0 3/21 16:29			
14	BRS	L14	35	L12 and L13	US-PGPUB; USPAT	2006/0 3/21 16:29			
15	BRS	L15	12	L11 and L13	US-PGPUB; USPAT	2006/0 3/21 16:29			
16	BRS	L16	65	(wdm or demultiplex\$3 or multiplex\$3).ti,ab. and L13	US-PGPUB; USPAT	2006/0 3/21 16:29			
17	BRS	L17	33607	First adj\$3 (detector or photodetector or photodiode or pd)	US-PGPUB; USPAT	2006/0 3/21 16:29			
18	BRS	L18	34797	second adj\$3 (detector or photodetector or photodiode or pd)	US-PGPUB; USPAT	2006/0 3/21 16:29			
19	BRS	L19	32	L13 and L17 and L18	US-PGPUB; USPAT	2006/0 3/21 16:29			
20	BRS	L20	10443	(laser or ld) with (coupler or curved)	US-PGPUB; USPAT	2006/0 3/21 16:29			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
21	BRS	L21	24	L13 and L20	US-PGPUB; USPAT	2006/0 3/21 16:29			
22	BRS	L22	696	(pd or photodiode or photodetector) near5 (groove or grooves or trench or trenches)	US-PGPUB; USPAT	2006/0 3/21 16:29			
23	BRS	L23	50	(L9 or L10 or L11 or L12) and L22	US-PGPUB; USPAT	2006/0 3/21 16:29			
24	BRS	L24	163	L14 or L15 or L16 or L19 or L21 or L23	US-PGPUB; USPAT	2006/0 3/21 16:29			
25	BRS	L25	449	L24 or L6 or L8	US-PGPUB; USPAT	2006/0 3/21 16:30			
26	BRS	L26	40	25 and @pd>"20051028"	US-PGPUB; USPAT	2006/0 3/21 16:30			